



NSF-ISR

Registered to ISO 9001

MAXIFORCE[®]
DIESEL ENGINE PARTS

Overhaul Kits

FOR YANMAR[®] ENGINES




www.maxiforce.com

DORAL, FL ■ ANDERSON, IN ■ SANTA FE SPRINGS, CA

f | @ | in | 1.800.414.2095



A U.S. GLOBAL COMPANY



ENGINE 4TNV88

YOK4TNV88 Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Skid Steer
Brand: Komatsu®

Equipment: Excavator
Brand: Komatsu®


Equipment: Loader
Brand: Komatsu®



Models: SK714-5, SK815-5, SK818-5

Models: PC40MR-2, PC40MR-2-AC,
PC45MR-3, PC45R-8, PC50MR-2,
PC50MR-2-AC, PC55MR-3, PC58UU-3

Model: WA50-6.



ENGINE 4TNV88

YOK4TNV88 Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Skid Steer
Brand: GEHL®

Equipment: Excavator
Brand: GEHL®

Equipment: Skid Steer
Brand: GEHL®




Models: 4240E, L4240, 540, 540R.



Models: 353, 373, 503Z.



Models: KL278, KL398.



ENGINE 4TNV88

YOK4TNV88 Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Skid Steer
Brand: Mustang®




Models: 2041, 2044, 2054, 2054B, 1350R, 1500R.

Equipment: Excavator
Brand: Mustang®



Model: 450Z NXT2.



ENGINE 4TNV88

YOK4TNV88 Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Skid Steer

Brand: Volvo®




Models: MC60, MC60B

Equipment: Excavator

Brand: Volvo®



Models: EC35, C45, EC45, ECR48C



ENGINE 4TNV88

YOK4TNV88 Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Excavator
Brand: Hitachi®

Equipment: Excavator
Brand: New Holland®

Equipment: Tractor
Brand: New Holland®



Models: ZX40U-2, ZX40U-3,
ZX48U-3, ZX50U-2, ZX50U-3, ZX52U-3




Model: E55BX



Model: T3030

4TNV106 TURBO ENGINE

YOK4TNV106T Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 1 Seal, Front Crank
- 1 Seal, Crankshaft Rear
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Backhoe
Brand: Komatsu®

Equipment: Wheel Excavator
Brand: Komatsu®

Equipment: Excavator
Brand: Komatsu®



Models: WB140-2N, WB140PS-2N, WB150-2N, WB150AWS-2N, WB150PS-2N, WB93R-2, WB97R-2, WB97S-2, WB98A-2




Model: PW110R-1



Model: PC110R-1

ENGINE 4TNE88

YOK4TNE88 Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 1 Seal, Front Crank
- 1 Seal, Crankshaft Rear
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Excavator
Brand: Yanmar®




Models: B50-2A, B50-2B, B6-3, B6U, B6U-1, B7-5, VI050, VI050-1, VI050-2, VI055.

Equipment: Skid Steer
Brand: Mustang®




Models: 2050, 940, 2054



ENGINE 4TNE88

YOK4TNE88 Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 1 Seal, Front Crank
- 1 Seal, Crankshaft Rear
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Excavator
Brand: Komatsu®

Equipment: Tracked Dumper
Brand: Komatsu®

Equipment: Excavator
Brand: Case®




Models: PC40MR-1, PC40MR-A, PC40MRX-1, PC45MR-1, PC45MRX-1, PC50FR-1, PC50FR-2, PC50UD-2, PC50UG-2, PC50UU-2, PC50UUM-2, PC58SF-1, PC58UU-3

Models: CD30R-1, CR30R-1

Models: CX47, CX50B

ENGINE 4TNE84

YOK4TNE84 Overhaul Kit Yanmar®



Content

- 4 Piston With Rings
- 4 Bushing, Con Rod
- 1 Bushing, Camshaft
- 1 Gasket, O/H Set
- 1 Gasket, Liquid
- 1 Seal, Front Crank
- 1 Seal, Crankshaft Rear
- 4 Con Rod Bearing
- 5 Main Bearing
- 1 Thrust Washers

Applications

Equipment: Skid Steer
Brand: Komatsu®



Model: SK820-5

Equipment: Skid Steer
Brand: Mustang®



Models: 2040, 2042

NEW WEBSITE SEARCH TOOLS - ENHANCED SEARCH CAPABILITIES

BASIC SEARCH

Search here.. 

i Search Criteria

Search Criteria: x CLOSE

JD Engine Model:	4045TT581	Maxiforce p/n:	TRE66820
Engine Model:	4.236	Machine Mod:	PC45-1
Perkins Build No:	VK	Cummins CPL:	954
Cat Eng. Arr.:	207-1080	JD Block (m):	R53240
Piston No:	RE59277	Piston (m):	6153
Con Rod No:	R71074	OEM Part #:	RE526966

Click on the Search Criteria tab to view examples of searchable terms and choose the equal term for your engine or machine. Type the suitable information in the search bar and click on the magnifying glass.

Search by ENGINE BRAND

SEARCH BY ENGINE BRAND

Select engine brand:

CATERPILLAR


Select engine series:

3024

Select Arrangement #:

- PLEASE SELECT -

CLEAR SEARCH x



Select your engine brand name, engine model or series, and the engine identifying option, for example arrangement #. The selection automatically redirects you to the catalog page to view our full offering:

CATERPILLAR 3024/C AVAILABLE EQUIPMENT MODELS > PRINT THIS PAGE >

ENGINE MODEL	ENGINE DESCRIPTION	ENGINE DATA	ENGINE INFO	ENGINE DIMENSIONS
3024/C	NATURALLY ASPIRATED	ESN: EZM1-UP, ARF, OGA05643	4 Cyl	Bore: 3.9 in / 94.00 mm Stroke: 3.9 in / 100.00 mm Displacement: 154 in ³ / 2.516 Lt
<ul style="list-style-type: none"> • BOK536 0.00 • BOK537 0.00 • BOK537 0.00 • BOK537 0.00 	<ul style="list-style-type: none"> • D297-3080 0.00 • D297-3080 0.00 • 4 Per Engine • 2) Ring Set 	<ul style="list-style-type: none"> • E154-1703 0.00 • E161-1763 0.00 • E161-1764 0.00 • Set of 4 Pairs 	<ul style="list-style-type: none"> • E146-7808 0.00 • D307-9955 0.00 • E307-9955 0.00 • Set of 4 Pairs 	<ul style="list-style-type: none"> • E154-1233/31 0.00 • Set of 3 Pcs • 2) Crank Bushing • E292-051A 0.00

Search by MACHINE BRAND

SEARCH BY MACHINE BRAND

Select machine brand:

JOHN DEERE

Select machine type:

BACKHOE


Select machine model:

410D

Select engine model:

- PLEASE SELECT -

CLEAR SEARCH x



Select your machine brand name, machine type, machine model, and the engine identifying option, for example engine model #. The selection automatically redirects you to the catalog page to view our full offering:

JOHN DEERE 4.276D LARGE PIN AVAILABLE EQUIPMENT MODELS > PRINT THIS PAGE >

ENGINE SERIES	ENGINE MODEL	ENGINE DESCRIPTION	ENGINE INFO	ENGINE DIMENSIONS
300	4.276D	Large Pin	4 Cyl	Bore: 4.79 in / 104.6 mm Pin Ø: 1.425 in / 41 mm
<ul style="list-style-type: none"> • TRE62694 • TRE62694 • 1) Engine V/F Kit • 1) K62694 	<ul style="list-style-type: none"> • TE-2896A • Consists of: • a) TRE28919 • b) TRE66820 • c) TRD1220 	<ul style="list-style-type: none"> • TRE27352 0.00 • TRE27353 0.00 • TRE27360 0.00 • TRE27368 0.00 • Use A 	<ul style="list-style-type: none"> • TA12109 0.00 • TA12103 0.00 • TA12104 0.00 • TA12106 0.00 • Use 1 	<ul style="list-style-type: none"> • TA-95781 0.00 • TA-957653 0.00 • TA-957654 0.00 • TA-957655 0.00 • Use 4

OUR ENGINE RANGE BY BRAND

Caterpillar®	3013 • 3014 • 3024 • 3034 • 3044 • 3046 • 3054 • 3056 • 3064 • 3066 • C2.2 • C2.2 CRDI • C3.3 • C4.2 • C4.4 • C6.4 • C6.6
Cummins®	B & C Series 3.9 Liters • 4.5 Liters • 5.9 Liters • 6.7 Liters • 8.3 Liters
John Deere®	3.152 • 3.164 • 3.179 • 3029 • 4024 • 4039 • 4045 • 5030 • 4.202 • 4.219 • 4.239 • 4.270 • 4.276 • 6059 • 6068 • 6076 • 6081 6090 • 6.101 • 6.303 • 6.329 • 6.359 • 6.414 • 6.531 • 6.619 • 4020 • 3016 • 4033
Perkins®	104-22 • 403C-15 • 403D-15 • 404C-22 • 404D-22 • 404F-22 • 704-30 • 804C-33 • 804D-33 • 1004.40 • 1004.42 1006.60 • 1103 • 1104 • 1106 • 3.152 • 4.108 • 4.203 • 4.212 • 4.236 • 4.248 • 4.318 • 6.354
Yanmar®	3 & 4TNE84 • 3 & 4TNE84T • 3 & 4TNE88 • 4TNE94 • 4TNE98 • 4TNE106D & T • 3 & 4TNV84 • 4TNV84T • TK486 TK486V • 3JH3 • 3JH3E • 3JH3CE • 3JH4 • 3JH5 • 4JH3 • 4JH4E • 4JH5E
Mitsubishi®	S4S • S4S DT • S4K • S6S • S6S D • S6S DT • S6K
Shibaura®	N4LDI • N843 • N843L • N844 • N844T • N844L • N844LT • N844L-D • N844LT-D • N844LTA-D • N844L-F • N844LT-F
Komatsu®	3D84E • 3D88E • 4D106 • 4D84E • 4D88E • 4D94E • 4D94LE • 4D98E • S3D84E • S4D106
Kubota®	V1702 • V2003 • V2203 • V2403 • V3300 • V3800 • D1105 • V1505
IH/Navistar®	DT360 • DT414 • DT436 • DT437 • DT466

OUR 3 DISTRIBUTION CENTERS

Covering 90% of the continental U.S. in 1-2 days ground shipments.

MIDWEST
1424 Abraham Drive
Anderson, IN 46013

WEST COAST
12150 Bloomfield Ave. Unit Q
Santa Fe Springs, Ca 90670

EAST COAST
10900 Northwest 30 St.
Doral, FL 33172

Shipping times

1 DAY 2 DAYS 3 DAYS

www.maxiforce.com

DORAL, FL ■ ANDERSON, IN ■ SANTA FE SPRINGS, CA

All product names, logos, and brands are property of their respective owners. All company, product and service names used in this website are for identification purposes only. Use of these names, logos, and brands does not imply endorsement.



NSF-ISR

Registered to ISO 9001



1.800.414.2095